
PRODUCTS & SERVICES CATALOGUE



BRIDGES | PONTOONS | FERRIES | CUSTOMISATION

modular solutions





Our standard products can offer various solutions for different accessibilities of the area.

All Janson products are designed and developed by our own experienced engineers to the Eurocode standards.

Since its establishment in 1972 Janson Bridging has delivered thousands of solutions for our clients worldwide.

OUR VIEW ON BRIDGING SYSTEMS

NOT A PRODUCT, BUT A SERVICE



CONNECTIONS FROM A TO B

WHY JANSON BRIDGING

OUR APPROACH

CUSTOMISED SOLUTIONS WITH MODULAR PRODUCTS



) SERVICE (

At Janson, the client is central, not the product. And we guarantee the best quality available in the market. By delivering excellent service for decades, we have form strong and supportive relationships with many governments and businesses.



SAFETY (

Working safely is a very important part of our company culture. Janson is certified in the field of health and safety working processes and conform to NEN-EN-ISO 45001, VCA/SCC and the safety ladder.



QUALITY

To reassure our clients, we deliver quality solutions by using CE marked material and certified processes. These certified processes, which conform to NEN-EN-ISO:9001, 1090, 14001, 45001, 21500, 19650 (BIM level 2), AQAP and VCA/SCC, are for quality control, health and safety, and environmental protection.



) EXPERIENCE (

Janson has successfully delivered more than 8000 projects worldwide since 1972. Each unique project utilised our self-developed modular products. We worked with several global organisations: governments, defence organisations, security regions and contractors.




) AVAILABILITY (

With the largest stock holding and multiple represents in Europe, we can deliver our turn-key service with high quality modular bridging systems and express installation by one of our nearby branch.



) INNOVATION (

Our R&D, project and in-house assembly departments work closely to ensure an efficient production on existing robust products, whist developing more innovative and durable products to support continuously supply in order to meet the increasing demanding market.



Due to the reusable nature of our modular products, we have been working in a product cycle process for more than 50 years. Firstly, it starts by making a proposal which is designed and calculated based on your requirement by our highly experienced in-house engineers. Secondly, we pre-assemble the chosen solution as far as possible to ensure efficient, cost saving and safer installation at site. For rental bridges, we provide inspection service periodically and maintenance if necessary. When the rental period ends, the bridging structure get dismantled and its parts to return to stock for extensive inspection and any necessary renovation to be carried out before reusing.

TABLE OF CONTENTS

PRODUCTS	•	Bridges	8
		Product overview Beam bridges (JSK-JBB) Plate Girder Bridges (JSB) Panel bridges (JPB) Movable bridges (JMB) Truss bridges (JTB) Girder bridges (JGB) Plastic bridges (JFB)	10 14 16 20 22 24 26 28
	•	Pontoons	30
		Coupling pontoons (JCP) Floating life (JFL) Plate pontoons (VPP) Uniflote pontoons (VUP) Heavy duty pontoons (VCP) Event pontoons (VSP)	32 33 36 37 38 39
	•	Ferries	40
		Ferry systems (JFS)	42
	•	Customised solutions	44
		Customisation (JCS)	46
SERVICES	•	Engineering	48
	•	Disaster Relief & Defence Services	54
		Security and Disaster Relief (SDR) Defence Services (JDS)	56 58
	•	Global project development	60





BRIDGES

Our bridges literally and figurative make connections and provide opportunities. Whatever the gap, we are passionate about finding the right solution. Come across with Janson Bridging.





Janson Bridging has a suitable modular bridge solution for every situation. The overview shows how our bridge solutions can adapt to different requirements. It would be great to have the opportunity to demonstrate how our optimal solution could add value to your project.

	BRIDGE TYPE	FREE SPAN BASED ON EUROCODE LOAD	APPLICATIONS *	PAGE
⊙ 20M	J M B	UP TO MAXIMUM 20 METRES		22
	JSK-JBB	UP TO MAXIMUM O 24 METRES		14
) JFB	UP TO MAXIMUM • 40 METRES		28
PAN	JSB	UP TO MAXIMUM • • • • • • • • • • • • • • • • • • •		16
R E S	J G B	UP TO MAXIMUM 60 METRES		26
	JPB-P	UP TO MAXIMUM 61 METRES		20
	JPB-T	UP TO MAXIMUM TO METRES		20
100M) JTB	UP TO MAXIMUM 100 METRES		24
		* Pedestrians and cyclists Motorised	I (freight) traffic (heavy equipment) 由	<u>а</u> Movable

NOTHING IS TOO FAR TO BRIDGE





JANSON BEAM BRIDGES (JSK-JBB)

Jansons beam bridges (type JSK and JBB) are designed for a relatively short span of up to 24 metres. The beam bridge is often used as a temporary or semi-permanent bridge for construction or public traffic or as an emergency bridge in the event of calamities.

- This bridge type consists of modular sections with standard lengths that are
 only linked in the width. The width of the bridge can be varied by merging
 several sections. The beam bridge is quick and safe to install thanks to the
 efficient coupling system and the integrated hoisting facilities.
- We can offer solutions in the likes of a separate carriageway, a cycle lane and a crash barrier on the beam bridge. Also, the ramps can be detached as required.
- Janson's beam bridge is also the ideal system to build a temporary bridge over a existing bridge, when the capacity of the existing bridge (temporarily) proves insufficient.
- By using intermediate supports, multiple spans are possible.



APPLICATION











Calculations based on CC1, CC2 and CC3

Widthwise linkable in multiples

Integrated lifting eyes

Fully pre-assembled deliverable

Section length	9 metres	10.5, 13.5, 15.7, 21 and 24 metres	9, 12, 15, 18, 21 and 24 metres
Section width	1.5 and 2.1 metres	1.5 and 2.1 metres	1.8 metres
Maximum free span	9 metres	21 metres	24 metres
Guardrail / railing	Traffic and pedestrian version	Traffic and pedestrian version	Traffic and pedestrian version
External footpath	Possible	Possible	Not possible



JANSON PLATE GIRDER BRIDGES (JSB)

Jansons plate girder bridges (JSB) are designed for temporary and semi-permanent applications, especially in areas with heavy traffic and where free spans of up to 54 metres are required.

- To reduce the installation time to the minimum, the JSB units are
 pre-assembled as much as possible before they are transported to the
 construction site to be lifted and assembled into a complete bridge.
- The sections can be connected lengthwise and width wise to meet varies needs for spans and road widths.
- The sections are all assembled with high quality steel plates and are reinforced with troughs for a steel deck covered by a durable granulate layer.
- JSB bridges are popular solutions in highways due to their robust and durable properties.



APPLICATION











- Free span up to 54 metres
- Linkable in both length and width
- Hinged pairing possible
- For construction traffic, primary and secondary roads
- For general and heavy traffic

Section lenght	6, 9, 12 and 24 metres	10.5, 13.5 and 19.5 metres	10.5 and 13.5 metres
Section width	3.5 metres	2.5 metres	2.5 metres
Maximum free span	30 metres	39 metres	54 metres
Guardrail	Traffic and pedestrian version	Traffic and pedestrian version	Traffic and pedestrian version
External footpath	Possible	Possible	Possible

JSB-2


JSB-1



JSB-4

BRIDGE IN AUSTRIA ON THE A12






JANSON PANEL BRIDGES (JPB)

Janson's panel bridge system (JPB) is designed for temporary and semi-permanent applications, where a span of up to 70 metres for work or general traffic is required. The system is made up of modular standard panels. Janson has a type for heavy traffic (JPB-T) as well as a variant for cyclists and pedestrians (JPB-P).

- Janson panel bridges are ideal for places with limited access for crane or large tools. Our panel bridge can be installed with relatively small tools and cranes. The bridge system can also be launched horizontally for placed where no crane can reach.
- The separated bridge components for each section can be transported to the site as they are (possibly in containers), or partially preassembled.
- Our road bridge JPB-P can be used for cycling and pedestrian passages. Vehicles for maintenance or emergency services can be allowed on the bridge occasionally.
- To accommodate the requirement for multiple spans or varies heights, our bridge system can be expanded with pillars.



APPLICATION













Free span up to 70 metres

 For construction traffic and secondary roads

Hinged and continuously linkable

Assembly with relatively small tools

 Hot-dip galvanised material for long and maintenance-free



JPB-T

JPB-P

Application	Heavy traffic	Cyclists and pedestrians
Modular field length	3.048 metres (10ft)	3.048 metres (10ft)
Road width	4.2 en 7.4 metres	2, 2.5 and 3 metres
Maximum free span	70 metres	61 metres
Guardrail / railing	Traffic execution	Pedestrian version

JANSON MOVABLE BRIDGES (JMB)

The Janson movable bridges (JMB) are temporary movable bridges for all types of traffic. The use of these bridges ensures that both road traffic and shipping traffic can continue at the relevant location. The JMB-D, a temporary, modular heavy traffic bridge, is designed according to the applicable standards for movable bridges and is adaptable in length and width. Apart from this modular swing bridge Janson Bridging also has a swing bridge, lift bridge or sliding bridge system in its portfolio.

- The JMB-D consists of modular sections for different road widths. The span of
 the bridge can be varied by combining multiple deck areas. It is driven by an
 electric-hydraulic system. A control house, container with power pack, control
 computers and barriers/traffic lights are included.
- In addition to the unbalanced JMB-D, Janson can supply other types of movable bridges for you, such as the JMB-S (swing bridge), JMB-L (lift bridge) and the JMB-R (sliding bridge).
- Our moveable bridges are designed with a focus on fast and easy installation.
- The bridges can be used on local and provincial roads with one or two lanes. Bicycle and pedestrian paths can also be added.



APPLICATION











Movable bridge

FEATURES JMB-D

Unbalanced type

• Fast opening and closing time

Calculations possible on basis of CC1, CC2 and CC3

NEN 6786-1, Eurocode taxes and 2006/42/EC

JMB-D*

Section lenght	12, 14, 16, 18 and 20 metres
Section width	3.5, 5, 7 and 7.5 metres
Maximum free span	20 metres
Guardrail	Туре Н2
External footpath	Possible on both sides

*Options JMB-S, JMB-L and JMB-R on request.





JANSON TRUSS BRIDGES (JTB)

Janson's truss bridge system is designed for semi-permanent and permanent applications and is particularly well suited for rural areas where infrastructure and transport facilities are limited. The bridge can be built by various methods, such as hoisting, driving in (on pontoons or SPMT's) or by means of a rolling or sliding bridge technique, using a launching nose.

- The bridge sections can often be transported to the construction site in containers transported and assembled there.
- The JTB can be fitted with a steel, concrete or plastic deck.
- The bridge system can be expanded with pillars, platforms and stairs, to allow for height differences and corner solutions.
- The truss bridge is available as a heavy traffic version (JTB-T) and as a cyclist and pedestrian solution (JTB-P).
- · Vehicle restraint systems (guard rails) as well as pedestrian fencing, can be supplied fully certified.



APPLICATION













• For both heavy and light traffic

- Hinged connection
- On-site assembly
- Hot-dip galvanised material for a long and maintenance-free service life






JTB-P

Application	Heavy traffic	Cyclists and pedestrians
Modular field lenght	On request (concept ready)	4 metres
Road width	On request (concept ready)	2.5 metres
Maximum free span	Depending on load and width	Depending on load and width

JANSON GIRDER BRIDGES (JGB)

Jansons girder bridges (JGB) are distinguished by the convenience with which this (semi) permanent bridge can be transported and assembled. The steel girders that serve as the basis for this type of bridge and the deck can be adapted to any situation. This makes the JGB a sustainable solution for long rental projects and less easily accessible (construction) sites.

- Within our JGB line we offer both the version with a concrete deck consisting
 of prefabricated slabs (JGB-P) and the version with a deck consisting of poured
 concrete (JGB-I). A plastic deck is also possible.
- The JGB-I has a maximum free span of 60 metres in the Eurocode passages
 With the JGB-P, a free span of 48 metres can be realised. The width in which the JGB can be realised is unlimited.
- Our JGB bridges are designed according to Janson Bridging's modular DNA.
 This ensures that the bridge as a package can be easily transported and, if desired, installed at the relevant location by local contractors.
- The JGB is versatile and suitable for pedestrians and cyclists, motorised vehicles and heavy traffic.



APPLICATION











- Up to 60 metres free span
- Unlimited width
- For light and heavy traffic
- Easy to assemble
- For (semi) permanent use



JGB-P

JGB-I

Application	Cyclists, pedestrians and motorised traffic	Cyclists, pedestrians and motorised traffic
Maximum free span	48 metres	60 metres
Road width	∞	∞
Girder material	Steel	Steel
Deck material	Precast concrete slabs	Poured concrete
Use	(Semi)permanent deployment	Permanent deployment

JANSON PLASTIC-BRIDGES (JFB)

Janson plastic bridges (JFB) are developed with sustainability in mind, both in terms of lifespan and environmental impact. This permanent solution is fully customised according to your wishes. We will be happy to advise you on this!

- Our plastic bridge and deck portfolio consists of the JFB-G and the JFB-P. The difference between these two types is the material used. The JFB-G is manufactured on the basis of a high-quality glass fibre. The JFP-P is a 'printed' variant and is made of synthetic fibres.
- The JFBs can be custom-made and you have a free choice of e.g. colour, design and handrails.
- Due to the high-quality plastic, our JFBs have an extremely long life span. The bridges are also low-maintenance, weather-resistant and are highly resistant to road salt.
- With the JFBs, we can achieve a free span of up to 40 metres, where even a 12 tonne vehicle can occasionally pass.
- Manufacturing a JFB requires less energy than a traditional bridge. And the low weight also requires less energy for transport. This results in significantly less CO2 emissions.



APPLICATION











Extremely long service life

• Full customisation

• Up to 40 metres free span

Also for motorised vehicles

Reduced CO2 emissions



JFB-G

JFB-P

Application	Cyclists, pedestrians and light motorised transport	Cyclists, pedestrians and light motorised transport
Maximum free span	Approx. 40 metres	Approx. 40 metres
Road width	Made-to-measure	Made-to-measure
Material	Glass fibre	Synthetic fibre
Capacity	5 kN/m²	5 kN/m²

PONTOONS

Working on water becomes possible where it previously seemed impossible.

Due to Janson's wide range of modular pontoons we can design and deliver project specific solutions to facilitate the work.






JANSON COUPLING PONTOONS (JCP)

Janson's versatile coupling pontoons are available in many sizes, so that the desired capacity of the floating platform can always be realised.

The JCPs are designed to be transported by standard trucks. They are launched using a crane, with the top couplers used as lifting eyes.

An effectively designed coupling system allows the pontoons to be coupled quickly and easily, without any mechanical assistance.



JANSON FLOATING LIFE (JFL)




Janson's Floating Life is the solution for the rapid expansion of (living) space. Think, for example, of extra terrace space, a floating hotel suite, event rooms, or as a private individual enjoy the nature with a floating home. Thanks to the included aluminium structure, you can achieve your desired goal in no time at all. The JFL is almost unsinkable, very strong, easy to transport, cost-effective and, moreover, certified. Discover the numerous possibilities!



- Date of the state of the stat
m

COUPLING PONTOON (JCP)	Dimensions (lxwxh) (mm)	Weight (kg)	Buoyancy at 300 mm freeboard (kg)
	ı	ı	1
	2.500 x 2,500 x 1,000	2,280	1,750
JCP-1000	5.000 x 2,500 x 1,000	3,700	4,625
	7.500 x 2,500 x 1,000	5,230	7,314
	5.000 x 2,500 x 1,500	4,350	10,000
JCP-1500	7.500 x 2,500 x 1,500	6,850	15,750
	12.500 x 2,500 x 1,500	10,000	26,563
JCP-2000	7.500 x 2,500 x 2,000	7,650	21,937
75. 2000	12.500 x 2,500 x 2,000	11,500	38,125

FLOATING LI	FE Dimensions	Weight	Buoyancy
(JFL)	(lxwxh) (mm)	(kg)	at 300 mm freeboard (kg)
JFL-730	12.192 x 4,876 x 2.896	6,000	24,000
	(incl. superstructure)	(incl. superstructur	re)




WALKING ON WATER





Passion for pontoons

For the live television event The Passion in the city centre of Dordrecht, Janson supplied modular pontoons and bridges. By deploying hundreds of pontoons and a number of pedestrian bridges, for a moment, the thousands of visitors could also walk on water.





Pedestrian bridges and pontoons (

- City centre Dordrecht
- Podium island and audience island

PROJECT CHARACTERISTICS

- 350 plate pontoons
- 6 footbridges

JANSON PLATE PONTOONS (VPP)

Janson Bridging's plate pontoons have more than proved their worth in recent decades. The versatile pontoons can be used for infrastructure works, but are also frequently used at events. Due to the smart dimensions, the pontoons can be linked in length and width, and any configuration is possible.



JANSON UNIFLOTE PONTOONS (VUP)

Uniflote pontoons come in 2 types: the VUP-1230 and the VUP-1330. Janson Bridging's VUP series is suitable for the heavier civil work on the water. They are used as work islands or probing platform pontoon, but also as a breakwater. The pontoon island we of course, of railings, bollards and spud poles when your project requires them.





PLATE PONTOONS (VPP)	Dimensions (lxwxh) (mm)	Weight (kg)	Buoyancy at 300 mm freeboard (kg)	
Centre pontoon (VPP-730M)	4.200 x 2,100 x 730	1,185	2,100	
Bow pontoon (VPP-730B)	4.725 x 2,100 x 730	1,200	1,942	

UNIFLOTE PONTOONS (VUP)	Dimensions (lxwxh) (mm)	Weight (kg)	Buoyancy at 300 mm freeboard (kg)
VUP-1230	5.635 x 2,690 x 1,230	5,000	9,366
VUP-1330	5.260 x 2,420 x 1,330	4,000	9,136



JANSON HEAVY DUTY PONTOONS (VCP)

Janson Heavy duty pontoons are for the toughest jobs on the water.

These pontoons are suitable for loads up to 120 tonnes. With the two types of 6 and 12 metres long, any desired configuration can be made.

Janson Heavy duty pontoons are also DNV-GL certified!

ARPROVED AROOUT


DNV·GL

DNVGL.COM/AF

JANSON EVENT PONTOONS (VSP)


Unique to our VSP pontoon is its high deck load and lightweight cou-pling system. The pontoons can be connected very quickly in an ergonomic way without mechanical support. In addition, these couplings remain in the pontoons during transport. This means fewer transport movements. Thanks to the VSP's clever sizing, any desired configuration can be realised. The VSP pontoon is not only used for events, but is also very suitable for civil and maritime work. The pontoon is also DNV-GL certified.





PONTOONS (VCP)		(lxwxh) (mm) (kg)		300 mm freeboard (kg)	
	VCP-1500-6	5.980 x 2,480 x 1,500	6,200	7,250	
	VCP-1500-12	11.980 x 2,480 x 1,500	10,500	20,400	

EVENTS	Dimensions	Weight	Buoyancy at
PANTOONS (VSP)	(lxwxh) (mm)	(kg)	300 mm freeboard (kg)
VSP-770	4.500 x 2,250 x 770	2,250 (incl. couplings)	3,700



FERRIES

Even when a bridge is not possible on site or is not the most economical solution, Janson Bridging ensures accessibility. With our ferries. Like our bridges, our ferries are based on our modular philosophy. This allows them to be adapted in length, width and depth to the required capacity and location.





JANSON FERRY SYSTEM (JFS)

Janson modular ferries (JFS) can be assembled entirely from standard road transportable parts. The JFS is also based on Janson Bridging's modular philosophy. The size of the ferry can be determined on the basis of our standard Janson coupling pontoons. With that, anything is possible!

- The applied motor power depends on the desired speed, the fairway data and the dimensions of the ferry.
- The ferry is designed according to the roll-on, roll-off principle with hydraulic served ramps on both sides.
- Alternatively, the individual pontoons can be set up as an engine compartment, storage pontoon or bunker tank.
- The engines can either be installed in drive pontoons or on deck with standard surface-mounted engines.



APPLICATION











CHARACTERISTICS

- Ferry for passengers and vehicles
- Dimensions and speed variable
- Wheelhouse with all-round visibility
- Fast, effective and modular





Weight	225 tonnes
Maximum net load	320 tonnes
Number of modular pontoons	17 pontoons (variable size)
Draught at full load	1.40 metres
Maximum speed	11 km/h with full load
Draught unloaded	0.55 metres
Driveways	2 hydraulically operated ramps, 6.25 metres long and 5 metres wide
Engine output	2 units 368 kW Marine Diesel engines
Propulsion	2 steering trusses



CUSTOMISED SOLUTIONS

Floating, hanging, lying or sailing, sometimes there are situations that call for a unique solution.

And Janson Bridging can make this happen. Smart, effective and of course based on our modular thinking.






JANSON CUSTOMISED SOLUTIONS (JCS)

In addition to all the standard products Janson Bridging has in its portfolio, we also offer customised solutions (JCS). That way we always get to the other side. But also our special accessibility solutions are based on our modular thinking. This means that we always have a tailor-made solution based on our experience and yet fast and cost-effective.

- Our roll-on-roll-off systems (JRO) are one of these customised accessibility solutions. The roros are constructed from our bridges and pontoons and always form the perfect connection between large ships and the mainland, especially on difficult-to-reach places.
- Another possibility is an extra rigid bridge that can be used as a tram or railway bridge, also as a temporary solution.
- Whatever your situation, Janson Bridging's experts will discuss it with you about the
 best and smartest solution within your budget. Our experienced engineers
 calculate the whole, so that you can be sure of the most secure connection.





CHARACTERISTICS

Bridges, ferries, ro-ro in all applications

for your situation

- Calculations, assembly and transport in one hand
- High quality high-end solutions



Railway bridges















Roro systems (

ENGINEERING

Every day, our team of highly experienced in-house engineers works out the best solutions for your infrastructure and mobility issues. They are at your service every day for questions relating to both calculations as well as questions on legislation and global standards. In addition, continuous work is being done to improve product solutions and innovations.





JANSON ENGINEERING

Whatever your challenge, our extensive team of highly experienced designers and CAD draftsmen is working on your solution. We are your centre of expertise with regard to reaction forces, static and dynamic calculations as well as the contact point for your questions on legislation and global standards.

Janson Bridging's expertise in the design of temporary, semi-permanent and permanent modular bridges is renowned worldwide. All our bridge systems are developed on the basis of the latest Eurocodes with specific local annex. By using 3D designs, we reduce failure costs and visualise your solution. Janson Bridging also offers the possibility to contract engineering capacity for your specific issues.

Janson Bridging Engineering:

- · Highly experienced team of experts.
- In-depth knowledge of local standards through our own engineers at our decentralised branches.
- Use of high-tech hardware and software.
- Certification of all our engineers by internal training through Janson Academy.
- Design quickly available through our standardised modular systems.
- · Guaranteed residual life products.
- Extensive civil and military knowledge and experience.





- Designs, calculations and drawings
- Research & development
- Design Consultancy
- Installation advice & training
- Maintenance and repair advice
- Inspection advice & training

High-tech

Janson Bridging Engineering uses the latest high tech software such as Inventor, RFEM, Nastran and BIM, as well as Product Lifecycle Management (PLM) software, which enables us to reduce the residual life and ensure traceability of our stock.

R&D

In addition to the design of accessibility solutions that our engineers work on daily, Janson Bridging Research & Development is continuously working on the further development of existing modular systems as well as the development of completely new systems. Janson Bridging R&D performs both destructive and non-destructive testing to validate design calculations and fatigue characteristics to ensure the structural integrity of our products.

JANSON ENGINEERING

Fast, safe, hassle-free

Our engineers provide support with advice during installation to ensure that it runs safely, smoothly and according to plan. Our qualified bridge installation consultants are experts in the field of site surveying, planning, logistics, infrastructure development and installation. Our extensive on-site technical support, combined with the unparalleled design and modular nature of our systems, minimises on-site time and ensures a safe, quick and worry-free installation.

Military defense and calamities

In addition to its commitment to civilian accessibility solutions, Janson Bridging is active in the military market. Many of our civil solutions are also extremely suitable as a military application. Through Janson Defense Services (JDS), our design team supports defence organisations worldwide. Through Security & Disaster Relief (SDR), engineers are immediately on site for site surveys and advice, in case of calamities such as floods or storms.



Inspection

Systematic maintenance and inspections are essential for safety and life of bridges. Inspections are carried out by our teams of qualified and experienced engineers.

Our services range from inspections and assessment to repairs, the supply of spare parts and the certification of our bridges.

Education & Training

Janson Bridging supplies bridge systems worldwide. From Janson Academy, we provide education and training to our customers wherever they are. This enables them to install, inspect and maintain our systems locally themselves. Janson Academy offers comprehensive training packages, either on-site or at our training facility in Hank. By sharing our knowledge and skills we enable our customers and local contractors to be self-reliant.



SDR & JDS

Our service goes further... Our Janson Security & Disaster Relief (SDR) department focuses on achieving accessibility in areas where natural disasters have suddenly made parts of the country inaccessible. Janson Defence Services (JDS) focuses on the global armed forces and supports them with civilian equipment for military applications.





JANSON SECURITY AND DISASTER RELIEF (SDR)

This special business unit of Janson Bridging focuses on cooperation with civil and military organisations that are active in the field of security and disaster relief. Some of our people have themselves served in security organisations for many years. As a civil partner, we provide a flexible shell to governments to be able to offer an immediate back-up when it comes to accessibility solutions.

For example, we enable governments to offer acute accessibility solutions to their customers via a Service Level Agreement ('pilot light contract'). We do this mainly

- **Guaranteed deployment** A guaranteed capacity of people and resources available to ensure immediate accessibility in (emergency) situations.
- **People** We train end-users, such as local soldiers, to be efficient and skillfully assemble bridges themselves.
- **Proven working methods** In order to always achieve the best possible result in the event of an emergency, we periodically reflect with end users and decision makers on our self-developed and proven working methods.





back-up system in terms of accessibility during disaster relief often is lacking. Due to climate change and natural disasters, this lack has become a burning issue. By making agreements with governmental organisations in advance regarding the availability of people and resources, Janson Bridging is able to respond quickly in the event of calamities. This enables governments to make decisive operational decisions in extremely challenging and complex situations. Our expertise in the field of multi-stakeholder project development and, of course, our extensive knowledge of modular bridge systems, ensure that we can adequately relieve public authorities of their burden.

JANSON DEFENCE SERVICES (JDS)

Declining defense budgets, shortage of resources, obsolete equipment and slow procurement procedures can limit the military's ability to respond quickly in crisis situations such as wars, disasters and refugee flows. Worldwide support Janson Defence Services (JDS) assists armed forces in their logistical demands on accessibility facilities such as bridges.

Here, we offer a bridge portfolio based on the STANAG 2021, with which soldiers always have the right bridge at the right time at their disposal. In addition, we support these organisations in the field of engineering, maintenance, inspection and training. Thus, we offer a unique value proposition in supporting military organisations in protecting their nations.



- **♦ STANNAG 2021**
- **♦ TOT MLC 120T/150W**

Military Toolbox

JDS offers army organisations worldwide a unique proposition with a military toolbox. This proposition offers adaptivity. Your military engineers will be continuously educated and trained in the use of the latest Line Of Communications Bridges (LOCB) under the desired Service Level Agreement. With a guaranteed availability we provide support for military

missions and exercises.







'Military challenges? Civilian solutions!'

Our dual-use (CIV/MIL) Line Of Communications Bridges portfolio











UP TO MLC 120T/150W (EUROCODE)*	BEAM BRIDGE	PLATE GIRDER BRIDGE	GIRDER BRIDGE	PANEL BRIDGE	TRUSS BRIDGE
Scope	High intensity	Divisional area	Divisional area	Divisional area	Logistics area
Maximum free span (m)	24	54	60	70	100
Military Load Class	Fixed	Fixed	Variable	Variable	Variable
Lead time	Preparation: super fast Installation: hours	Preparation: super fast Installation: day	Preparation: super fast Installation: week	Preparation: super fast Installation: week	Preparation: super fast Installation: weeks
Resources			•••	I	l
Required equipment	Military crane	Civilian crane	Civilian crane	Civilian crane	Civilian crane
Logistics	Light	Light	Light	Heavy	Heavy
Flexibility	Plug & Play	Plug & Play	Customisable	Customisable	Customisable

GLOBAL

Janson Bridging aims to contribute to the increased well-being of population groups by increasing accessibility worldwide. By creating safe access to education, health care, work and trade, we support social and economic development in countries.





LARGE-SCALE PROJECTS

THE BRIDGE TO EDUCATION & HEALTH CARE





Janson Bridging can also assist you in financing the accessibility solution.

In Suriname Janson Bridging realised
the new Carolina Bridge, one of the most important
connections across the great Suriname River.
The immense double lane road bridge, with footpaths
on both sides, is 204 metres long and realises an even
greater impact on its immediate and distant surroundings.







In Sri Lanka, Janson Bridging International supplied and installed more than 1,000 Janson girder bridges (JGBs).


A continuously growing group has secure access to education, health care, employment and trade.



"Sustainable projects worldwide"

An important element in the realisation of local accessibility is the use of local businesses and their employees. Janson Knowledge & Training Center provides various training and education at various levels, from theoretical training for Ministries, consultants and local businesses, to security and technical training on the construction site. By doing so, we contribute to the sustainable enhancement of local knowledge level.

JANSON BRIDGING BRANCHES



jansonbridging.com (

